

MODULAR CARPET CATALOGUE



MODULAR CARPET CATALOGUE

BALANCE
CARPET TILE

The factory of Carpet Tiles covers an area 30,000 square meters. We have seven tufting machines and two backing lines, one is the world's most advanced CMC machine. Production capacity reached 300 thousand square meters per month.


Silverstone core value is supplying high quality of service and good quality product, we emphasize on the design, research, development and production of carpet. We have the professional Team with 15 years experience for the carpets. Our principle is “ Creating Fashion and Comfortable Space ”.

Sincerely look forward to your cooperation





501




502



503



506



512



521




527




535



551



553



555

SPECIFICATION

Construction: Level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/10"

Dye Method: Solution Dyed

Pile Weight: 480g/ m²

Total Weight: 4200g/ m² ± 3%

Pile Height: 3.0 ± 0.5mm

Total Thickness: Approx 5.0mm

Primary Backing: polyester Spunbonded


Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



01



02



03



04



05



09

SPECIFICATION

Construction: Level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/10"

Dye Method: Solution Dyed

Pile Weight: 480g/ m²

Total Weight: 4200g/ m² ± 3%

Pile Height: 3.0 ± 0.5mm



Total Thickness: Approx 5.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



01



02



03



04



05



06



SPECIFICATION

Construction: Level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/10"

Dye Method: Solution Dyed

Pile Weight: 480g/ m²

Total Weight: 4200g/ m² ± 3%

Pile Height: 3.0 ± 0.5mm

Total Thickness: Approx 5.0mm

Primary Backing: polyester Spunbonded


Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned




01




02



03



04



06



07

SPECIFICATION

Construction: Level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/10"

Dye Method: Solution Dyed

Pile Weight: 480g/ m²

Total Weight: 4200g/ m² ± 3%

Pile Height: 3.0 ± 0.5mm

Total Thickness: Approx 5.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



SPECIFICATION

Construction: Level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/10"

Dye Method: Solution Dyed

Pile Weight: 480g/ m²

Total Weight: 4200g/ m² ± 3%


Pile Height: 3.0 ± 0.5mm

Total Thickness: Approx 5.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm






01



04



02



05



03



06

SPECIFICATION

Construction: Multi - level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm

Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded


Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



02



03



04



05



08

SPECIFICATION

Construction: Multi - level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm


Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



SPECIFICATION

Construction: Multi - level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 528g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm

Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



01



02



03



04



05



08





SPECIFICATION

Construction: Multi - level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/10"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm


Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



01



02




03




05



06





01



02




04



03



05



06

SPECIFICATION

Construction: Multi-level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm

Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm


Recommended Installation: Monolithic or Quarter Turned




01



04



02



05



03



06

SPECIFICATION

Construction: Multi-level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm

Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned







01




02



03



04



05



06

SPECIFICATION

Construction: Multi-level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm


Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



01



02



03

SPECIFICATION

Construction: Multi-level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm

Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm


Recommended Installation: Monolithic or Quarter Turned



02



04



05



06



08

SPECIFICATION

Construction: Multi-level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 550g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm



Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



01



02



05

SPECIFICATION

Construction: Multi-level Loop

Pile Fiber Composition: 100% Polypropylene

Tufting Gauge: 1/12"

Dye Method: Solution Dyed

Pile Weight: 520g/ m²

Total Weight: 4500g/ m² ± 3%

Pile Height: 4.0 ± 0.5mm

Total Thickness: Approx 6.0mm

Primary Backing: polyester Spunbonded

Backing Structure: Glass Reinforced PVC

Tile Size: 50cm x 50cm

Recommended Installation: Monolithic or Quarter Turned



SPECIFICATION

Construction: Level Loop
 Pile Fiber Composition: 100% Polypropylene
 Tufting Gauge: 1/10"
 Dye Method: Solution Dyed
 Pile Weight: 480g/ m²
 Total Weight: 4500g/ m² ± 3%
 Pile Height: 4.0 ± 0.5mm
 Total Thickness: Approx 6.0mm
 Primary Backing: polyester Spunbonded
 Backing Structure: Glass Reinforced PVC
 Tile Size: 25cm x 100cm
 Recommended Installation: Monolithic or Quarter Turned



201



209



211



216



218



220



222



225



226



228



236